

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

VERNON

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
028560

WELL TYPE
Private Well

DRILL DATE: 1973/02/06

TOWNSHIP RANGE SECTION

ELEVATION: 940FT

DRILL DEPTH: 500FT

34N 29W 10

UTM X UTM Y
402,502.02 4,173,475.73
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: S OF MONTICELLO ON HWY NN, 1ST RD TO E TO FIRLST HOUSLE
ON N

S.W.L. (AFTER CASING):

LOG ID:
028037

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1976/07/09

TOWNSHIP RANGE SECTION

ELEVATION: 975FT

DRILL DEPTH: 75FT

34N 29W 32

UTM X UTM Y
400,170.00 4,168,272.77
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
027471

WELL TYPE
Core Description

DRILL DATE: 1962//

TOWNSHIP RANGE SECTION

ELEVATION: 895FT

DRILL DEPTH: 1,874FT

34N 29W 6

UTM X UTM Y
398,948.06 4,178,408.74
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: Mineral Test - Core #62W161 (VE-Z)

S.W.L. (AFTER CASING):

LOG ID:
027802

WELL TYPE
Private Well

DRILL DATE: 1971/05/00

TOWNSHIP RANGE SECTION

ELEVATION: 921FT

DRILL DEPTH: 629FT

34N 30W 19

UTM X UTM Y
388,894.05 4,172,107.85
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

REMARKS: NO FORMATIONS OR SAMPLES ON LOG, ONLY TD

S.W.L. (AFTER CASING): 140



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026291**WELL TYPE

Oil Well

DRILL DATE: 1964/07/17TOWNSHIP RANGE SECTION

34N 30W 26

ELEVATION: 992FTDRILL DEPTH: 145FTUTM X UTM YDEPTH TO BED: 15FT394,292.03 4,169,157.82
ZONE 15S.W.L. (BEFORE CASING):REMARKS: CORE TEST; #1 POTTROFS.W.L. (AFTER CASING):**LOG ID:****000308**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

34N 30W 27

ELEVATION: 970FTDRILL DEPTH: 1,306FTUTM X UTM YDEPTH TO BED: 20FT393,170.03 4,168,923.83
ZONE 15S.W.L. (BEFORE CASING):REMARKS: MOST FORMATIONS BETWEEN 115 & 560' ARE QUESTIONABLES.W.L. (AFTER CASING):**LOG ID:****027925**WELL TYPE

Oil Well

DRILL DATE: 1975/05/TOWNSHIP RANGE SECTION

34N 30W 28

ELEVATION: 938FTDRILL DEPTH: 132FTUTM X UTM YDEPTH TO BED: 8FT392,453.03 4,169,510.83
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1-28 J.F. ALLENS.W.L. (AFTER CASING):**LOG ID:****027926**WELL TYPE

Oil Well

DRILL DATE: 1975/05/TOWNSHIP RANGE SECTION

34N 30W 32

ELEVATION: 918FTDRILL DEPTH: 130FTUTM X UTM YDEPTH TO BED: 7FT389,967.03 4,168,794.86
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1-32 L.W. KLEMMES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028058**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1976/12/08TOWNSHIPRANGESECTIONELEVATION:

895FT

DRILL DEPTH: 175FT

34N

30W

6

DEPTH TO BED: 20FTUTM XUTM Y

389,466.11

4,178,921.79

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: STRAT TEST; LONG SECTIONS.W.L. (AFTER CASING):**LOG ID:****020499**WELL TYPE

Private Well

DRILL DATE: 1961/12/01TOWNSHIPRANGESECTIONELEVATION:

911FT

DRILL DEPTH: 390FT

34N

31W

11

DEPTH TO BED:UTM XUTM Y

386,218.05

4,175,073.86

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 3.5 MI N & 1 MI E OF SHELDONS.W.L. (AFTER CASING): 180**LOG ID:****028061**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1976/12/10TOWNSHIPRANGESECTIONELEVATION:

922FT

DRILL DEPTH: 165FT

34N

31W

2

DEPTH TO BED: 15FTUTM XUTM Y

384,940.05

4,177,608.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: STRAT TESTS.W.L. (AFTER CASING):**LOG ID:****021329**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1962/11/TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH: 925FT

34N

31W

23

DEPTH TO BED: 90FTUTM XUTM Y

386,080.02

4,171,219.88

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: NEAR SHELDONS.W.L. (AFTER CASING): 190

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027356

WELL TYPE
Community Public Well

DRILL DATE: 1973/05/01 TOWNSHIP 34N RANGE 31W SECTION 35 ELEVATION: 935FT
DRILL DEPTH: 850FT UTM X 385,527.00 UTM Y 4,168,760.90
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
023538

WELL TYPE
Community Public Well

DRILL DATE: 1964/08/21 TOWNSHIP 34N RANGE 31W SECTION 35 ELEVATION: 922FT
DRILL DEPTH: 930FT UTM X 385,527.00 UTM Y 4,168,760.90
DEPTH TO BED: 25FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO PRODUCTION OR CONSTRUCTION DATA
S.W.L. (AFTER CASING):

LOG ID:
011781

WELL TYPE
Community Public Well

DRILL DATE: 1952/01/ TOWNSHIP 34N RANGE 31W SECTION 35 ELEVATION: 932FT
DRILL DEPTH: 930FT UTM X 385,633.00 UTM Y 4,168,692.90
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): 6 FT REMARKS:
S.W.L. (AFTER CASING): 185 FT

LOG ID:
000309

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP 34N RANGE 31W SECTION 7 ELEVATION: 821FT
DRILL DEPTH: 1,447FT UTM X 378,706.96 UTM Y 4,174,417.94
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 9 MI S OF NEVADA
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**015959**WELL TYPE

Private Well

DRILL DATE: 1957/03/18TOWNSHIP RANGE SECTIONELEVATION: 833FTDRILL DEPTH: 370FT

34N 32W 10

UTM X UTM YDEPTH TO BED:374,805.93 4,175,485.97
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 102**LOG ID:****013384**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1955/03/01TOWNSHIP RANGE SECTIONELEVATION: 843FTDRILL DEPTH: 450FT

34N 32W 17

UTM X UTM YDEPTH TO BED: 30FT370,494.88 4,173,196.03
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: N PART OF BRONAUGHS.W.L. (AFTER CASING): 180**LOG ID:****018669**WELL TYPE

Community Public Well

DRILL DATE: 1959/12/TOWNSHIP RANGE SECTIONELEVATION: 871FTDRILL DEPTH: 853FT

34N 32W 20

UTM X UTM YDEPTH TO BED:370,936.88 4,172,750.02
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 195**LOG ID:****015958**WELL TYPE

Private Well

DRILL DATE: 1956/12/14TOWNSHIP RANGE SECTIONELEVATION: 851FTDRILL DEPTH: 380FT

34N 32W 23

UTM X UTM YDEPTH TO BED:375,485.92 4,171,795.98
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: YIELD - 11 GPM @ 150'S.W.L. (AFTER CASING): 97

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028062

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1976/12/21

TOWNSHIP

RANGE

SECTION

ELEVATION:

925FT

DRILL DEPTH: 290FT

34N

32W

29

DEPTH TO BED:

UTM X

UTM Y

371,558.88

4,170,180.03

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
028059

WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1976/12/15

TOWNSHIP

RANGE

SECTION

ELEVATION:

888FT

DRILL DEPTH: 185FT

34N

32W

35

DEPTH TO BED:

UTM X

UTM Y

374,950.90

4,167,963.00

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: N SIDE E-W COUNTY RD

S.W.L. (AFTER CASING):

LOG ID:
017327

WELL TYPE

Community Public Well

DRILL DATE: 1958//

TOWNSHIP

RANGE

SECTION

ELEVATION:

878FT

DRILL DEPTH: 125FT

34N

32W

4

DEPTH TO BED: 45FT

UTM X

UTM Y

372,509.92

4,180,524.98

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
023564

WELL TYPE

Community Public Well

DRILL DATE: 1965//

TOWNSHIP

RANGE

SECTION

ELEVATION:

868FT

DRILL DEPTH: 785FT

34N

32W

5

DEPTH TO BED: 20FT

UTM X

UTM Y

372,050.91

4,180,469.98

ZONE 15

S.W.L. (BEFORE CASING): 17 FT

REMARKS:

S.W.L. (AFTER CASING): 160 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027921**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1975/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	807FT
<u>DRILL DEPTH:</u>	185FT	34N	33W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				367,774.85	4,178,405.04
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#1-1 S.A. WHITWORTH			

LOG ID:**027922**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1975/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	
<u>DRILL DEPTH:</u>	240FT	34N	33W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				367,774.85	4,177,787.04
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#1-1 D. COUCH; STRAT TEST			

LOG ID:**027924**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1975/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	807FT
<u>DRILL DEPTH:</u>	180FT	34N	33W	1	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					367,374.86	4,180,261.04
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#1-1 A.L. WHITESIDE; STRAT TEST			

LOG ID:**021758**WELL TYPE

Oil Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	785FT
<u>DRILL DEPTH:</u>	104FT	34N	33W	16	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				362,944.79	4,173,333.09
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	#1 CLARENCE HEITZ (HEILZ ?)			

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
021757

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 791FT
34N 33W 18
DRILL DEPTH: 243FT UTM X UTM Y
DEPTH TO BED: 10FT 359,561.75 4,173,917.11
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 CELESTE & CAMILE INC.
S.W.L. (AFTER CASING):

LOG ID:
027927

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1975/05/ TOWNSHIP RANGE SECTION ELEVATION: 810FT
34N 33W 2
DRILL DEPTH: 189FT UTM X UTM Y
DEPTH TO BED: 10FT 366,155.84 4,179,114.05
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: STRAT TEST; #1-2 RIPLEY
S.W.L. (AFTER CASING):

LOG ID:
026295

WELL TYPE
Oil Well

DRILL DATE: 1964/07/17 TOWNSHIP RANGE SECTION ELEVATION: 782FT
34N 33W 21
DRILL DEPTH: 135FT UTM X UTM Y
DEPTH TO BED: 35FT 362,488.79 4,172,342.09
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 LEITZ
S.W.L. (AFTER CASING):

LOG ID:
021759

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 800FT
34N 33W 21
DRILL DEPTH: 160FT UTM X UTM Y
DEPTH TO BED: 362,488.79 4,171,730.09
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 RAYMOND LEIST
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012548**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

786FT

DRILL DEPTH:

451FT

34N

33W

21

DEPTH TO BED:

50FT

UTM XUTM Y

362,688.79

4,173,158.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****026293**WELL TYPE

Oil Well

DRILL DATE:

1964/07/17

TOWNSHIPRANGESECTIONELEVATION:

820FT

DRILL DEPTH:

170FT

34N

33W

22

DEPTH TO BED:

20FT

UTM XUTM Y

364,004.81

4,172,477.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CORE TEST; #1 YOOSS.W.L. (AFTER CASING):**LOG ID:****027815**WELL TYPE

Oil Well

DRILL DATE:

1974/10/07

TOWNSHIPRANGESECTIONELEVATION:

829FT

DRILL DEPTH:

163FT

34N

33W

27

DEPTH TO BED:UTM XUTM Y

364,247.81

4,170,663.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 LEON EARL "A"; STRAT TEST; PERMIT #20080S.W.L. (AFTER CASING):**LOG ID:****027823**WELL TYPE

Oil Well

DRILL DATE:

1974/09/10

TOWNSHIPRANGESECTIONELEVATION:

825FT

DRILL DEPTH:

158FT

34N

33W

28

DEPTH TO BED:

15FT

UTM XUTM Y

363,331.80

4,171,031.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2 LEON EARL "A"; PERMIT #20086, CORE HOLE #36S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027821**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

789FT

DRILL DEPTH:

140FT

34N

33W

28

UTM XUTM YDEPTH TO BED:

30FT

362,531.79

4,171,439.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 CARL EARL "A"; PERMIT #20079, CORE HOLE #33S.W.L. (AFTER CASING):**LOG ID:****027923**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1975/05/

TOWNSHIPRANGESECTIONELEVATION:

773FT

DRILL DEPTH:

145FT

34N

33W

3

UTM XUTM YDEPTH TO BED:

45FT

364,747.82

4,178,562.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-3 N.B. DANIELSS.W.L. (AFTER CASING):**LOG ID:****026298**WELL TYPE

Oil Well

DRILL DATE:

1964/07/17

TOWNSHIPRANGESECTIONELEVATION:

825FT

DRILL DEPTH:

165FT

34N

33W

32

UTM XUTM YDEPTH TO BED:

360,966.77

4,169,579.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 LINNS.W.L. (AFTER CASING):**LOG ID:****001692**WELL TYPE

Oil Well

DRILL DATE:

1913/01/00

TOWNSHIPRANGESECTIONELEVATION:

814FT

DRILL DEPTH:

242FT

34N

33W

6

UTM XUTM YDEPTH TO BED:

359,058.75

4,179,159.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028209**WELL TYPE

Community Public Well

DRILL DATE: 1979/02/01TOWNSHIPRANGESECTIONELEVATION:

885FT

DRILL DEPTH: 800FT

35N

29W

19

DEPTH TO BED:UTM XUTM Y

397,149.06

4,183,644.71

ZONE 15

S.W.L. (BEFORE CASING): 140 FTREMARKS: NO TOPS OR SAMPLES RUNS.W.L. (AFTER CASING): 176 FT**LOG ID:****023301**WELL TYPE

Private Well

DRILL DATE: 1964/12/19TOWNSHIPRANGESECTIONELEVATION:

858FT

DRILL DEPTH: 140FT

35N

29W

7

DEPTH TO BED: 10FTUTM XUTM Y

396,808.05

4,186,403.69

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 20**LOG ID:****003078**WELL TYPE

Private Well

DRILL DATE: 1924/09/16TOWNSHIPRANGESECTIONELEVATION:

818FT

DRILL DEPTH: 81FT

35N

29W

7

DEPTH TO BED: 5FTUTM XUTM Y

396,608.05

4,186,199.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: NO PRODUCTION OR CONSTRUCTION DATA; MAY BE COAL
EXPLORATION WELLS.W.L. (AFTER CASING):**LOG ID:****028057**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1976/12/03TOWNSHIPRANGESECTIONELEVATION:

868FT

DRILL DEPTH: 141FT

35N

30W

11

DEPTH TO BED: 25FTUTM XUTM Y

393,563.06

4,186,975.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: STRAT TEST - ERDA - TSS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026369**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1967/08/14	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	872FT
<u>DRILL DEPTH:</u>	421FT	35N	30W	32	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	80FT				388,177.08	4,181,606.79
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	145	<u>REMARKS:</u> 1 MI E OF HWY 71 @ MILO ON HWY E				

LOG ID:**007773**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1942/07/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	891FT
<u>DRILL DEPTH:</u>	1,050FT	35N	31W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					385,981.05	4,186,628.79
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	140	<u>REMARKS:</u>				

LOG ID:**001621**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1909//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	885FT
<u>DRILL DEPTH:</u>	1,040FT	35N	31W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				385,781.04	4,186,422.79
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	100	<u>REMARKS:</u> PLUGGED IN 1923; 3.5 MI SE OF NEVADA				

LOG ID:**026898**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1971/05/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	831FT
<u>DRILL DEPTH:</u>	350FT	35N	31W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					378,617.99	4,184,737.88
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>				



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012681**WELL TYPE

Oil Well

DRILL DATE: 1954/05/17TOWNSHIPRANGESECTIONELEVATION:

835FT

DRILL DEPTH: 530FT

35N

31W

22

DEPTH TO BED: 20FTUTM XUTM Y

381,443.02

4,184,987.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028091**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1976/12/29TOWNSHIPRANGESECTIONELEVATION:

845FT

DRILL DEPTH: 161FT

35N

31W

32

DEPTH TO BED:UTM XUTM Y

378,046.98

4,181,081.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028613**WELL TYPE

Community Public Well

DRILL DATE: 1984/04/16TOWNSHIPRANGESECTIONELEVATION:

832FT

DRILL DEPTH: 1,105FT

35N

31W

4

DEPTH TO BED: 10FTUTM XUTM Y

380,291.01

4,189,643.84

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 123**LOG ID:****002003**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1916/05/00TOWNSHIPRANGESECTIONELEVATION:

850FT

DRILL DEPTH: 700FT

35N

31W

4

DEPTH TO BED: 11FTUTM XUTM Y

380,784.01

4,189,375.83

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001847**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1902/02/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	853FT
<u>DRILL DEPTH:</u>	850FT	35N	31W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	6FT				380,684.01	4,189,278.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	DRILLERS LOG; 1 BLK S OF DEPOT; CLOSED BY 1934		
<u>S.W.L. (AFTER CASING):</u>	124					

LOG ID:**022030**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1963//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	842FT
<u>DRILL DEPTH:</u>	1,095FT	35N	31W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					379,396.01	4,189,890.84
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	19	FT	<u>REMARKS:</u>	formerly under name of Missouri Public Service Well #4		
<u>S.W.L. (AFTER CASING):</u>	117	FT				

LOG ID:**012280**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1953/04/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	864FT
<u>DRILL DEPTH:</u>	1,100FT	35N	31W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					379,266.00	4,189,249.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	45	FT	<u>REMARKS:</u>	formerly under name of Missouri Public Service Well #3		
<u>S.W.L. (AFTER CASING):</u>	127	FT				

LOG ID:**001823**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1913/11/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	879FT
<u>DRILL DEPTH:</u>	817FT	35N	31W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	14FT				379,083.00	4,189,164.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		FT	<u>REMARKS:</u>	DRILLERS LOG - TOPS QUESTIONABLE; "NOT IN USE"		
<u>S.W.L. (AFTER CASING):</u>	96					



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001551**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

882FT

DRILL DEPTH:

1,001FT

35N

31W

5

DEPTH TO BED:

10FT

UTM XUTM Y

379,083.00

4,188,972.85

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

FORMATION TOPS MAY BE QUESTIONABLE - DRILLERS LOG

S.W.L. (AFTER CASING):

78

LOG ID:**001817**WELL TYPE

Private Well

DRILL DATE:

1914/00/00

TOWNSHIPRANGESECTIONELEVATION:

760FT

DRILL DEPTH:

644FT

35N

31W

8

DEPTH TO BED:

31FT

UTM XUTM Y

379,184.00

4,187,169.86

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DRILLERS LOG - QUESTIONABLE TOPS

S.W.L. (AFTER CASING):**LOG ID:****002597**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1932/07/

TOWNSHIPRANGESECTIONELEVATION:

840FT

DRILL DEPTH:

510FT

35N

32W

10

DEPTH TO BED:

360FT

UTM XUTM Y

372,760.96

4,187,453.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO SAMPLES 0-360'

S.W.L. (AFTER CASING):**LOG ID:****027237**WELL TYPE

Private Well

DRILL DATE:

1970/12/20

TOWNSHIPRANGESECTIONELEVATION:

805FT

DRILL DEPTH:

120FT

35N

32W

17

DEPTH TO BED:UTM XUTM Y

369,464.94

4,187,018.98

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

100

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027820

WELL TYPE
Oil Well

DRILL DATE: 1974/11/13

TOWNSHIP RANGE SECTION

ELEVATION: 761FT

DRILL DEPTH: 162FT

35N 32W 18

DEPTH TO BED: 30FT

UTM X UTM Y
367,067.92 4,187,111.00
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 CHESTNUT "A"; CORE TEST

S.W.L. (AFTER CASING):

LOG ID:
026354

WELL TYPE
Private Well

DRILL DATE: 1967/09/29

TOWNSHIP RANGE SECTION

ELEVATION: 801FT

DRILL DEPTH: 380FT

35N 32W 3

DEPTH TO BED: 10FT

UTM X UTM Y
373,242.97 4,189,260.92
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 4 MI W OF NEVADA @ JCT HWYS 54 & 43

S.W.L. (AFTER CASING):

LOG ID:
028060

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1976/12/24

TOWNSHIP RANGE SECTION

ELEVATION: 812FT

DRILL DEPTH: 174FT

35N 32W 30

DEPTH TO BED:

UTM X UTM Y
368,276.89 4,182,889.01
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
027917

WELL TYPE
Oil Well

DRILL DATE: 1975/05/

TOWNSHIP RANGE SECTION

ELEVATION: 763FT

DRILL DEPTH: 180FT

35N 32W 6

DEPTH TO BED: 30FT

UTM X UTM Y
367,245.95 4,190,250.99
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: STRAT TEST; #1-6 BEISLY, T.B.

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027812**WELL TYPE

Oil Well

DRILL DATE: 1974/10/30TOWNSHIPRANGESECTIONELEVATION:

766FT

DRILL DEPTH: 170FT

35N

33W

13

DEPTH TO BED: 20FTUTM XUTM Y

365,571.90

4,186,703.02

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CORE HOLE #44; #3 HEUSER "A"; PERMIT #20089S.W.L. (AFTER CASING):**LOG ID:****027811**WELL TYPE

Oil Well

DRILL DATE: 1974/10/30TOWNSHIPRANGESECTIONELEVATION:

773FT

DRILL DEPTH: 180FT

35N

33W

13

DEPTH TO BED: 35FTUTM XUTM Y

365,971.90

4,186,299.02

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #4 HEUSER "A"; CORE HOLE #45; PERMIT #20090S.W.L. (AFTER CASING):**LOG ID:****027810**WELL TYPE

Oil Well

DRILL DATE: 1974/10/01TOWNSHIPRANGESECTIONELEVATION:

767FT

DRILL DEPTH: 169FT

35N

33W

13

DEPTH TO BED: 20FTUTM XUTM Y

365,471.89

4,186,198.02

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CORE HOLE #28; #2 HEUSER "A"S.W.L. (AFTER CASING):**LOG ID:****022585**WELL TYPE

Oil Well

DRILL DATE: 1964/05/25TOWNSHIPRANGESECTIONELEVATION:

762FT

DRILL DEPTH: 164FT

35N

33W

13

DEPTH TO BED: 25FTUTM XUTM Y

366,071.91

4,187,612.01

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PLUGGED & ABANDONEDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028421**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

799FT

DRILL DEPTH:

90FT

35N

33W

16

DEPTH TO BED:

5FT

UTM XUTM Y

361,350.85

4,187,171.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #VR-3 VAN RADEN; API - 217-203 OR 203-22 ??S.W.L. (AFTER CASING):**LOG ID:****027817**WELL TYPE

Oil Well

DRILL DATE:

1974/10/15

TOWNSHIPRANGESECTIONELEVATION:

889FT

DRILL DEPTH:

388FT

35N

33W

17

DEPTH TO BED:UTM XUTM Y

358,931.82

4,186,868.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 LEATHERMAN "A"; CORE HOLE #37S.W.L. (AFTER CASING):**LOG ID:****027818**WELL TYPE

Oil Well

DRILL DATE:

1974/10/06

TOWNSHIPRANGESECTIONELEVATION:

877FT

DRILL DEPTH:

385FT

35N

33W

19

DEPTH TO BED:UTM XUTM Y

357,657.79

4,185,279.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CORE HOLE #32; #1 WOLF "A"S.W.L. (AFTER CASING):**LOG ID:****028405**WELL TYPE

Dry Oil &/or Gas Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

830FT

DRILL DEPTH:

110FT

35N

33W

21

DEPTH TO BED:

10FT

UTM XUTM Y

361,255.84

4,185,564.06

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #DK-1 D. KOOPMAN; 1155 FNL, 2484 FELS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027813

WELL TYPE
Oil Well

DRILL DATE: 1974/10/04

TOWNSHIP RANGE SECTION
35N 33W 23

ELEVATION: 797FT

DRILL DEPTH: 224FT

UTM X UTM Y
363,966.86 4,184,874.04
ZONE 15

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

REMARKS: CORE HOLE #31; #1 BEASLEY "A"

S.W.L. (AFTER CASING):

LOG ID:
028479

WELL TYPE
Oil Well

DRILL DATE: 1981/02/02

TOWNSHIP RANGE SECTION
35N 33W 23

ELEVATION: 797FT

DRILL DEPTH: 900FT

UTM X UTM Y
364,466.87 4,185,385.03
ZONE 15

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:
027819

WELL TYPE
Oil Well

DRILL DATE: 1741/00/4

TOWNSHIP RANGE SECTION
35N 33W 24

ELEVATION: 783FT

DRILL DEPTH: 152FT

UTM X UTM Y
365,376.88 4,185,397.03
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: #1 JOHNSON "A"; CORE HOLE #30; "STRAT TEST"

S.W.L. (AFTER CASING):

LOG ID:
027824

WELL TYPE
Oil Well

DRILL DATE: 1974/01/10

TOWNSHIP RANGE SECTION
35N 33W 24

ELEVATION: 768FT

DRILL DEPTH: 176FT

UTM X UTM Y
366,776.90 4,185,599.01
ZONE 15

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

REMARKS: #1 RASMUSSEN "A"; CORE HOLE #26

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**022584**WELL TYPE

Oil Well

DRILL DATE: 1964/05/25TOWNSHIP RANGE SECTION

35N

33W

24

ELEVATION: 762FTDRILL DEPTH: 144FTUTM X UTM YDEPTH TO BED: 75FT366,176.88 4,184,591.02
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PLUGGED & ABD.S.W.L. (AFTER CASING):**LOG ID:****027822**WELL TYPE

Oil Well

DRILL DATE: 1974/10/01TOWNSHIP RANGE SECTION

35N

33W

25

ELEVATION: 758FTDRILL DEPTH: 170FTUTM X UTM YDEPTH TO BED: 40FT365,277.87 4,184,391.03
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 OHAIR "A"; CORE HOLE #27, STRAT TESTS.W.L. (AFTER CASING):**LOG ID:****028406**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

35N

33W

28

ELEVATION: 817FTDRILL DEPTH: 130FTUTM X UTM YDEPTH TO BED: 10FT360,759.82 4,184,362.07
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #WH-10 CHAS. WHITEFORD; OIL TESTS.W.L. (AFTER CASING):**LOG ID:****028408**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

35N

33W

3

ELEVATION: 781FTDRILL DEPTH: 130FTUTM X UTM YDEPTH TO BED:362,749.90 4,190,625.02
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #IF-1 IDA FAUVERQUES.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028409**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

778FT

DRILL DEPTH: 100FT

35N

33W

3

DEPTH TO BED: 5FTUTM XUTM Y

362,749.89

4,189,865.02

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OIL TEST; #IF-4 IDA FAUVERQUES.W.L. (AFTER CASING):**LOG ID:****027719**WELL TYPE

Oil Well

DRILL DATE: 1974/11/TOWNSHIPRANGESECTIONELEVATION:

791FT

DRILL DEPTH: 87FT

35N

33W

33

DEPTH TO BED: 26FTUTM XUTM Y

360,560.80

4,182,448.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #8 IDA; COMPLETED OIL WELLS.W.L. (AFTER CASING):**LOG ID:****028418**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

802FT

DRILL DEPTH: 110FT

35N

33W

33

DEPTH TO BED:UTM XUTM Y

361,060.80

4,182,347.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #13 IDA FAUVERQUES.W.L. (AFTER CASING):**LOG ID:****028414**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

804FT

DRILL DEPTH: 95FT

35N

33W

33

DEPTH TO BED: 5FTUTM XUTM Y

360,360.79

4,182,246.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #28 (IDA FAUVERQUE)S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028416**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

808FT

DRILL DEPTH:

125FT

35N

33W

33

UTM XUTM YDEPTH TO BED:

361,060.80

4,182,347.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #CE-11 IDA FAUVERQUE (CF-11 ??)S.W.L. (AFTER CASING):**LOG ID:****027715**WELL TYPE

Oil Well

DRILL DATE:

1974/11/

TOWNSHIPRANGESECTIONELEVATION:

804FT

DRILL DEPTH:

105FT

35N

33W

33

UTM XUTM YDEPTH TO BED:

360,560.80

4,183,056.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2 IDA; COMPLETED OIL WELLS.W.L. (AFTER CASING):**LOG ID:****027716**WELL TYPE

Oil Well

DRILL DATE:

1974/11/

TOWNSHIPRANGESECTIONELEVATION:

791FT

DRILL DEPTH:

95FT

35N

33W

33

UTM XUTM YDEPTH TO BED:

361,060.80

4,182,347.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 IDAS.W.L. (AFTER CASING):**LOG ID:****027718**WELL TYPE

Oil Well

DRILL DATE:

1974/11/

TOWNSHIPRANGESECTIONELEVATION:

791FT

DRILL DEPTH:

95FT

35N

33W

33

UTM XUTM YDEPTH TO BED:

15FT

361,060.80

4,182,347.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #6 IDA; COMPLETED OIL WELLS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028413**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

791FT

DRILL DEPTH:

100FT

35N

33W

33

DEPTH TO BED:

5FT

UTM XUTM Y

361,060.80

4,182,347.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #31S.W.L. (AFTER CASING):**LOG ID:****028422**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

803FT

DRILL DEPTH:

90FT

35N

33W

33

DEPTH TO BED:

10FT

UTM XUTM Y

361,060.80

4,182,347.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: OIL & GAS DEVELOPMENT; #CEI-12 IDA FAUVERQUES.W.L. (AFTER CASING):**LOG ID:****027717**WELL TYPE

Oil Well

DRILL DATE:

1974/11/

TOWNSHIPRANGESECTIONELEVATION:

791FT

DRILL DEPTH:

87FT

35N

33W

33

DEPTH TO BED:

50FT

UTM XUTM Y

360,560.80

4,182,650.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #5 IDA; OIL WELLS.W.L. (AFTER CASING):**LOG ID:****028415**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

783FT

DRILL DEPTH:

115FT

35N

33W

33

DEPTH TO BED:

5FT

UTM XUTM Y

361,060.80

4,182,347.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #9 IDA FAUVERQUES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028403**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

791FT

DRILL DEPTH: 155FT

35N

33W

33

UTM XUTM YDEPTH TO BED: 60FT

361,060.80

4,182,347.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #CEI-167 IDA FAUVERQUES.W.L. (AFTER CASING):**LOG ID:****028417**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

806FT

DRILL DEPTH: 115FT

35N

33W

33

UTM XUTM YDEPTH TO BED: 10FT

361,060.80

4,182,347.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #C-10S.W.L. (AFTER CASING):**LOG ID:****028412**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

791FT

DRILL DEPTH: 100FT

35N

33W

33

UTM XUTM YDEPTH TO BED: 40FT

361,060.80

4,182,347.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #67 (IDA FAUVERQUE)S.W.L. (AFTER CASING):**LOG ID:****028407**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

807FT

DRILL DEPTH: 130FT

35N

33W

33

UTM XUTM YDEPTH TO BED: 5FT

360,660.80

4,181,942.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #17 IDA FAUVERQUES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028608**WELL TYPE

Injection Well (OIL FIELD)

DRILL DATE: 1984/05/20TOWNSHIP RANGE SECTIONELEVATION: 798FTDRILL DEPTH: 142FT

35N

33W

33

UTM XUTM YDEPTH TO BED:

361,060.80

4,182,347.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #IF-102C IDA FAUVERQUE; STEAM INJECTION; REAL TD NOT SHOWNS.W.L. (AFTER CASING):**LOG ID:****001691**WELL TYPE

Oil Well

DRILL DATE: 1914/01/00TOWNSHIP RANGE SECTIONELEVATION: 807FTDRILL DEPTH: 229FT

35N

33W

33

UTM XUTM YDEPTH TO BED: 23FT

360,860.80

4,182,145.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: LOG FROM NEWSPAPER; "WELL RUINED WHEN SHOT"S.W.L. (AFTER CASING):**LOG ID:****000464**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1913/01/00TOWNSHIP RANGE SECTIONELEVATION: 824FTDRILL DEPTH: 232FT

35N

33W

33

UTM XUTM YDEPTH TO BED: 1FT

361,660.81

4,181,739.08

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****028420**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 820FTDRILL DEPTH: 160FT

35N

33W

8

UTM XUTM YDEPTH TO BED: 10FT

360,138.85

4,188,157.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #LE-3 EVELYN LEONARDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**012692**WELL TYPE

Private Well

DRILL DATE: 1954/05/15TOWNSHIPRANGESECTIONELEVATION:

844FT

DRILL DEPTH: 390FT

36N

29W

17

DEPTH TO BED: 30FTUTM XUTM Y

398,890.02

4,194,159.61

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 2 MI N OF HWY 54 & 4 MI E OF WALKERS.W.L. (AFTER CASING): 90**LOG ID:****012652**WELL TYPE

Private Well

DRILL DATE: 1954/04/16TOWNSHIPRANGESECTIONELEVATION:

812FT

DRILL DEPTH: 340FT

36N

29W

18

DEPTH TO BED: 25FTUTM XUTM Y

397,843.02

4,194,185.62

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 90**LOG ID:****015348**WELL TYPE

Private Well

DRILL DATE: 1956//TOWNSHIPRANGESECTIONELEVATION:

837FT

DRILL DEPTH: 280FT

36N

30W

14

DEPTH TO BED: 50FTUTM XUTM Y

394,764.02

4,195,022.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CITY OF WALKER ???S.W.L. (AFTER CASING):**LOG ID:****022948**WELL TYPE

Community Public Well

DRILL DATE: 1964/09/TOWNSHIPRANGESECTIONELEVATION:

847FT

DRILL DEPTH: 840FT

36N

30W

15

DEPTH TO BED: 60FTUTM XUTM Y

391,806.02

4,195,334.66

ZONE 15

S.W.L. (BEFORE CASING): 17 FTREMARKS:S.W.L. (AFTER CASING): 121 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**001924**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

869FT

DRILL DEPTH:

275FT

36N

30W

16

DEPTH TO BED:

21FT

UTM XUTM Y

391,072.02

4,195,301.67

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: AT WALKERS.W.L. (AFTER CASING):**LOG ID:****008945**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:

1945/05/

TOWNSHIPRANGESECTIONELEVATION:

774FT

DRILL DEPTH:

25FT

36N

31W

2

DEPTH TO BED:

2FT

UTM XUTM Y

384,614.01

4,198,424.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: ZINC PROSPECTS.W.L. (AFTER CASING):**LOG ID:****027816**WELL TYPE

Oil Well

DRILL DATE:

1974/11/12

TOWNSHIPRANGESECTIONELEVATION:

832FT

DRILL DEPTH:

102FT

36N

31W

20

DEPTH TO BED:UTM XUTM Y

379,979.01

4,194,329.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 BEEMAN "A"; STRAT TEST - CORE HOLE #48S.W.L. (AFTER CASING):**LOG ID:****027814**WELL TYPE

Oil Well

DRILL DATE:

1974/11/12

TOWNSHIPRANGESECTIONELEVATION:

820FT

DRILL DEPTH:

144FT

36N

31W

21

DEPTH TO BED:

10FT

UTM XUTM Y

380,575.01

4,193,658.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 JOHNSON "B"; STRAT TEST - CORE HOLE #47S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009169**WELL TYPE

Private Well

DRILL DATE: 1946/05/10TOWNSHIP RANGE SECTIONELEVATION: 816FTDRILL DEPTH: 1,100FT

36N 31W 21

DEPTH TO BED:UTM X UTM Y
381,575.01 4,194,660.79
ZONE 15S.W.L. (BEFORE CASING): 30REMARKS: old well (log #9169) deepened in 1947 - 713-1100' (log #9630); O & G
??: #1 CartwrightS.W.L. (AFTER CASING): FT**LOG ID:****009630**WELL TYPE

Private Well

DRILL DATE: 1946/05/10TOWNSHIP RANGE SECTIONELEVATION: 816FTDRILL DEPTH: 1,100FT

36N 31W 21

DEPTH TO BED:UTM X UTM Y
381,575.01 4,194,660.79
ZONE 15S.W.L. (BEFORE CASING): 30REMARKS: old well (log #9169) deepened in 1947 - 713-1100' (log #9630); O & G
??: #1 CartwrightS.W.L. (AFTER CASING): FT**LOG ID:****027675**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1974//TOWNSHIP RANGE SECTIONELEVATION: 848FTDRILL DEPTH: 1,020FT

36N 31W 29

DEPTH TO BED: 20FTUTM X UTM Y
379,500.01 4,192,128.83
ZONE 15S.W.L. (BEFORE CASING): 108 FTREMARKS:S.W.L. (AFTER CASING): 130 FT**LOG ID:****010720**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1949/02/19TOWNSHIP RANGE SECTIONELEVATION: 847FTDRILL DEPTH: 1,100FT

36N 31W 33

DEPTH TO BED: 140FTUTM X UTM Y
380,190.01 4,191,249.83
ZONE 15S.W.L. (BEFORE CASING): 4 FTREMARKS:S.W.L. (AFTER CASING): 107 FT



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003090**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	852FT
<u>DRILL DEPTH:</u>	1,080FT	36N	31W	33		
<u>DEPTH TO BED:</u>	10FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				380,290.01	4,191,552.82
<u>S.W.L. (AFTER CASING):</u>	105				ZONE 15	

REMARKS: FORMATION TOPS FROM ADDED SHEET

LOG ID:**014091**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1955/04/16	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	880FT
<u>DRILL DEPTH:</u>	415FT	36N	31W	36		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					386,232.03	4,191,437.75
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS: YIELD - 50 GPM @ 380'

LOG ID:**010870**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1949/05/12	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	878FT
<u>DRILL DEPTH:</u>	475FT	36N	31W	36		
<u>DEPTH TO BED:</u>	25FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>	FT				385,332.03	4,190,326.77
<u>S.W.L. (AFTER CASING):</u>	120				ZONE 15	

REMARKS: 3 MI E OF NEVADA ON HWY 54; YIELD - 15 GPM @ 200'

LOG ID:**002098**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1922/00/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	745FT
<u>DRILL DEPTH:</u>	691FT	36N	31W	8		
<u>DEPTH TO BED:</u>	30FT				<u>UTM X</u>	<u>UTM Y</u>
<u>S.W.L. (BEFORE CASING):</u>					379,424.02	4,197,647.80
<u>S.W.L. (AFTER CASING):</u>					ZONE 15	

REMARKS: VERY FEW TOPS ON LOG, NO SAMPLES RUN



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**024292**WELL TYPE

Private Well

DRILL DATE: 1966/06/29TOWNSHIPRANGESECTIONELEVATION:

782FT

DRILL DEPTH: 131FT

36N

31W

9

DEPTH TO BED: 50FTUTM XUTM Y

380,731.02

4,197,477.78

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: 6 MI N OF NEVADAS.W.L. (AFTER CASING): 91**LOG ID:****028886**WELL TYPEDRILL DATE: 1975/12/23TOWNSHIPRANGESECTIONELEVATION:

764FT

DRILL DEPTH:

36N

32W

13

DEPTH TO BED:UTM XUTM Y

376,342.01

4,195,985.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CAUTION !!! - Log #19985 was also assigned to Dicks Well #1 in
Vernon County Sec. 13, T36N, R32W. The Dicks well log wasS.W.L. (AFTER CASING):**LOG ID:****011117**WELL TYPE

Oil Well

DRILL DATE: 1949/10/28TOWNSHIPRANGESECTIONELEVATION:

768FT

DRILL DEPTH: 118FT

36N

32W

13

DEPTH TO BED: 20FTUTM XUTM Y

377,042.01

4,195,883.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****026294**WELL TYPE

Oil Well

DRILL DATE: 1964/07/17TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH: 180FT

36N

32W

17

DEPTH TO BED:UTM XUTM Y

369,596.02

4,197,005.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 HERMAN - CORE TEST #6S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027896

WELL TYPE
Oil Well

DRILL DATE: 1975/04/
DRILL DEPTH: 170FT
DEPTH TO BED: 40FT

TOWNSHIP RANGE SECTION
36N 32W 19

ELEVATION: 785FT
UTM X UTM Y
367,726.99 4,194,851.96
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1-19 M.P. SCHULTZ - STRAT TEST

S.W.L. (AFTER CASING):

LOG ID:
027913

WELL TYPE
Oil Well

DRILL DATE: 1975/05/
DRILL DEPTH: 163FT
DEPTH TO BED: 10FT

TOWNSHIP RANGE SECTION
36N 32W 19

ELEVATION: 767FT
UTM X UTM Y
368,926.99 4,194,075.95
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1-19 E . MASHEK - STRAT TEST

S.W.L. (AFTER CASING):

LOG ID:
013589

WELL TYPE
Private Well

DRILL DATE: 1955/04/18
DRILL DEPTH: 120FT
DEPTH TO BED: 25FT

TOWNSHIP RANGE SECTION
36N 32W 21

ELEVATION: 799FT
UTM X UTM Y
370,914.00 4,195,314.92
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 4 MI E OF RICHARDS - O & G ??

S.W.L. (AFTER CASING):

LOG ID:
002097

WELL TYPE
Noncommunity Public Well

DRILL DATE: 1918/08/00
DRILL DEPTH: 875FT
DEPTH TO BED:

TOWNSHIP RANGE SECTION
36N 32W 27

ELEVATION: 745FT
UTM X UTM Y
373,525.99 4,192,910.90
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: USELESS LOG, MOST SAMPLES NOT LOGGED

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027915**WELL TYPE

Oil Well

DRILL DATE: 1975/05/TOWNSHIPRANGESECTIONELEVATION:

771FT

DRILL DEPTH: 190FT

36N

32W

29

DEPTH TO BED: 20FTUTM XUTM Y

369,908.99

4,193,673.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-29 D.C. JOHNSON - STRAT TESTS.W.L. (AFTER CASING):**LOG ID:****027914**WELL TYPE

Oil Well

DRILL DATE: 1975/05/TOWNSHIPRANGESECTIONELEVATION:

798FT

DRILL DEPTH: 200FT

36N

32W

30

DEPTH TO BED: 25FTUTM XUTM Y

367,828.98

4,193,442.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-30 R.W. HEBELER - STRAT TESTS.W.L. (AFTER CASING):**LOG ID:****022586**WELL TYPE

Oil Well

DRILL DATE: 1964/05/24TOWNSHIPRANGESECTIONELEVATION:

770FT

DRILL DEPTH: 105FT

36N

32W

30

DEPTH TO BED: 20FTUTM XUTM Y

368,828.98

4,192,470.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #_ PEEK; PLUGGED & ABANDONED 43' DOWNS.W.L. (AFTER CASING):**LOG ID:****012588**WELL TYPE

Oil Well

DRILL DATE: 1954/01/25TOWNSHIPRANGESECTIONELEVATION:

793FT

DRILL DEPTH: 500FT

36N

32W

30

DEPTH TO BED: 25FTUTM XUTM Y

367,828.97

4,192,664.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 GORSES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027919

WELL TYPE
Oil Well

DRILL DATE: 1975/05/ TOWNSHIP 36N RANGE 32W SECTION 31 ELEVATION: 776FT
DRILL DEPTH: 164FT UTM X 368,333.97 UTM Y 4,192,029.97
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1-31 T.B. BEISLY - STRAT TEST
S.W.L. (AFTER CASING):

LOG ID:
027918

WELL TYPE
Dry Oil &/or Gas Well

DRILL DATE: 1975/05/ TOWNSHIP 36N RANGE 32W SECTION 32 ELEVATION: 765FT
DRILL DEPTH: 135FT UTM X 369,221.97 UTM Y 4,191,057.96
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #2-32 T.B. BEISLY - STRAT TEST
S.W.L. (AFTER CASING):

LOG ID:
027916

WELL TYPE
Oil Well

DRILL DATE: 1975/05/ TOWNSHIP 36N RANGE 32W SECTION 32 ELEVATION: 787FT
DRILL DEPTH: 161FT UTM X 369,621.98 UTM Y 4,191,966.95
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1-32 T.B. BEISLY - STRAT TEST
S.W.L. (AFTER CASING):

LOG ID:
027892

WELL TYPE
Oil Well

DRILL DATE: 1975/05/ TOWNSHIP 36N RANGE 32W SECTION 4 ELEVATION: 796FT
DRILL DEPTH: 215FT UTM X 371,795.04 UTM Y 4,200,141.88
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1-4 A.F. FORKNER; STRAT TEST
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026296

WELL TYPE
Oil Well

DRILL DATE: 1964/07/17

TOWNSHIP RANGE SECTION
36N 32W 4

ELEVATION: 795FT

DRILL DEPTH: 160FT

UTM X UTM Y
371,195.04 4,200,141.89
ZONE 15

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

REMARKS: #1 JANTZ; CORE TEST #5

S.W.L. (AFTER CASING):

LOG ID:
027891

WELL TYPE
Oil Well

DRILL DATE: 1975/05/

TOWNSHIP RANGE SECTION
36N 32W 5

ELEVATION: 792FT

DRILL DEPTH: 215FT

UTM X UTM Y
370,387.04 4,199,807.90
ZONE 15

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

REMARKS: #1-5 M.E. FORKNER - STRAT TEST

S.W.L. (AFTER CASING):

LOG ID:
028279

WELL TYPE
Oil Well

DRILL DATE:

TOWNSHIP RANGE SECTION
36N 32W 6

ELEVATION: 795FT

DRILL DEPTH: 1,520FT

UTM X UTM Y
369,108.04 4,200,162.92
ZONE 15

DEPTH TO BED: 170FT

S.W.L. (BEFORE CASING):

REMARKS: NO SAMPLES 0-170'; #1-6 STUBBLEFIELD; "O.B. NO V-8"

S.W.L. (AFTER CASING):

LOG ID:
027866

WELL TYPE
Oil Well

DRILL DATE: 1975/05/21

TOWNSHIP RANGE SECTION
36N 32W 6

ELEVATION: 805FT

DRILL DEPTH: 233FT

UTM X UTM Y
368,008.04 4,200,064.93
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: #1-6 R.L. POTTER - STRAT TEST

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027890**WELL TYPE

Oil Well

DRILL DATE: 1975/05/TOWNSHIPRANGESECTIONELEVATION:

820FT

DRILL DEPTH: 246FT

36N

32W

8

DEPTH TO BED: 15FTUTM XUTM Y

369,890.03

4,198,401.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-8 D. CLAYPOOL - STRAT TESTS.W.L. (AFTER CASING):**LOG ID:****026292**WELL TYPE

Oil Well

DRILL DATE: 1964/07/17TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH: 190FT

36N

32W

9

DEPTH TO BED:UTM XUTM Y

372,303.02

4,198,524.88

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 CLAYPOOL - CORE TEST #4S.W.L. (AFTER CASING):**LOG ID:****011399**WELL TYPE

Oil Well

DRILL DATE: 1950/07/14TOWNSHIPRANGESECTIONELEVATION:

807FT

DRILL DEPTH: 285FT

36N

33W

1

DEPTH TO BED: 20FTUTM XUTM Y

367,614.04

4,200,353.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #_ CHAPMANS.W.L. (AFTER CASING):**LOG ID:****027912**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

872FT

DRILL DEPTH: 310FT

36N

33W

10

DEPTH TO BED:UTM XUTM Y

363,503.98

4,198,546.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-10 S.J. SPAUR - STRAT TESTS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014863**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1956/09/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	842FT
<u>DRILL DEPTH:</u>	265FT	36N	33W	10	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	5FT				363,303.97	4,197,532.98
<u>S.W.L. (BEFORE CASING):</u>	200	FT				ZONE 15
<u>S.W.L. (AFTER CASING):</u>	175	FT				

REMARKS: SALT WATER - 200'

LOG ID:**027867**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1975/05/20	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	845FT
<u>DRILL DEPTH:</u>	275FT	36N	33W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				365,711.01	4,198,875.95
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: #1-11 WILMONT & STEELE INC.

LOG ID:**027865**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1975/05/19	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	847FT
<u>DRILL DEPTH:</u>	243FT	36N	33W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				364,510.99	4,197,647.97
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: #1-11 S.E. ANDERSON - STRAT TEST

LOG ID:**027895**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1975/05/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	810FT
<u>DRILL DEPTH:</u>	186FT	36N	33W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				366,441.99	4,196,347.96
<u>S.W.L. (BEFORE CASING):</u>						ZONE 15
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: #1-13 H.F. PHILLIPS - STRAT TEST



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028882**WELL TYPEDRILL DATE: 1975/12/19DRILL DEPTH: 490FTDEPTH TO BED:S.W.L. (BEFORE CASING):S.W.L. (AFTER CASING):TOWNSHIP

36N

RANGE

33W

SECTION

16

ELEVATION:

820FT

UTM X

361,904.95

UTM Y

4,196,719.99

ZONE 15

REMARKS: CAUTION !!! - Log #19981 was also assigned to Forkner Well #1 in
Vernon County Sec. 16, T36N, R33W. The Forkner well log was

LOG ID:**027863**WELL TYPE

Oil Well

DRILL DATE: 1975/04/30DRILL DEPTH: 388FTDEPTH TO BED:S.W.L. (BEFORE CASING):S.W.L. (AFTER CASING):TOWNSHIP

36N

RANGE

33W

SECTION

18

ELEVATION:

836FT

UTM X

358,463.92

UTM Y

4,196,788.01

ZONE 15

REMARKS: #1-18 MARY J. GUMP

LOG ID:**027893**WELL TYPE

Oil Well

DRILL DATE:DRILL DEPTH: 275FTDEPTH TO BED:S.W.L. (BEFORE CASING):S.W.L. (AFTER CASING):TOWNSHIP

36N

RANGE

33W

SECTION

2

ELEVATION:

827FT

UTM X

366,005.03

UTM Y

4,200,429.94

ZONE 15

REMARKS: #1-2 WILMONT & STEELE - STRAT TEST

LOG ID:**006287**WELL TYPE

Oil Well

DRILL DATE: 1940//DRILL DEPTH: 875FTDEPTH TO BED: 580FTS.W.L. (BEFORE CASING):S.W.L. (AFTER CASING):TOWNSHIP

36N

RANGE

33W

SECTION

22

ELEVATION:

770FT

UTM X

363,225.95

UTM Y

4,195,735.99

ZONE 15

REMARKS: ONLY DRILLERS LOG ABOVE 580', NO TOPS



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006290**WELL TYPE

Oil Well

DRILL DATE: 1939/01/TOWNSHIPRANGESECTIONELEVATION:

810FT

DRILL DEPTH: 775FT

36N

33W

22

DEPTH TO BED:UTM XUTM Y

364,125.96

4,195,123.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 IDA LUCAS; NO SAMPLES 430-505'S.W.L. (AFTER CASING):**LOG ID:****027897**WELL TYPE

Oil Well

DRILL DATE: 1975/04/TOWNSHIPRANGESECTIONELEVATION:

787FT

DRILL DEPTH: 195FT

36N

33W

24

DEPTH TO BED: 45FTUTM XUTM Y

366,846.98

4,194,236.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-24 R.G. LOWRY; STRAT TESTS.W.L. (AFTER CASING):**LOG ID:****027894**WELL TYPE

Oil Well

DRILL DATE: 1975/05/TOWNSHIPRANGESECTIONELEVATION:

811FT

DRILL DEPTH: 180FT

36N

33W

24

DEPTH TO BED: 15FTUTM XUTM Y

367,346.99

4,195,555.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-24 MARY SCHULTZS.W.L. (AFTER CASING):**LOG ID:****027825**WELL TYPE

Oil Well

DRILL DATE: 1974/10/29TOWNSHIPRANGESECTIONELEVATION:

805FT

DRILL DEPTH: 196FT

36N

33W

25

DEPTH TO BED: 50FTUTM XUTM Y

366,353.97

4,193,941.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 SCHULTZ "A"; STRAT TEST - CORE HOLE #43S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028885**WELL TYPEDRILL DATE: 1975/12/13DRILL DEPTH: 533FTDEPTH TO BED:S.W.L. (BEFORE CASING):S.W.L. (AFTER CASING):TOWNSHIP

36N

RANGE

33W

SECTION

30

ELEVATION:

780FT

UTM X

358,620.89

UTM Y

4,193,664.03

ZONE 15

REMARKS: CAUTION !!! - Log #19984 was also assigned to Sinn Well #1 in
Vernon County Sec. 30, T36N, R33W. The Sinn well log was

LOG ID:**026535**WELL TYPE

Oil Well

DRILL DATE: 1968/08/DRILL DEPTH: 205FTDEPTH TO BED: 50FTS.W.L. (BEFORE CASING):S.W.L. (AFTER CASING):TOWNSHIP

36N

RANGE

33W

SECTION

33

ELEVATION:

768FT

UTM X

362,331.90

UTM Y

4,191,381.02

ZONE 15

REMARKS: #1 GEO. FAUVERQUE ET AL.; OIL TEST

LOG ID:**025658**WELL TYPE

Oil Well

DRILL DATE: 1968/06/22DRILL DEPTH: 205FTDEPTH TO BED: 40FTS.W.L. (BEFORE CASING):S.W.L. (AFTER CASING):TOWNSHIP

36N

RANGE

33W

SECTION

33

ELEVATION:

765FT

UTM X

361,931.91

UTM Y

4,192,197.02

ZONE 15

REMARKS: #1 FAUVERQUE & IDA (IDA FAUVERQUE); DRY & ABANDONED
@205'

LOG ID:**027920**WELL TYPE

Oil Well

DRILL DATE: 1975/05/DRILL DEPTH: 160FTDEPTH TO BED: 32FTS.W.L. (BEFORE CASING):S.W.L. (AFTER CASING):TOWNSHIP

36N

RANGE

33W

SECTION

36

ELEVATION:

772FT

UTM X

366,255.94

UTM Y

4,191,112.99

ZONE 15

REMARKS: #1-36 JOE COAMBERS; STRAT TEST



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026271**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

874FT

DRILL DEPTH:

280FT

36N

33W

6

UTM XUTM YDEPTH TO BED:

5FT

358,199.95

4,199,967.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #25 THOMAS - OIL POOL DEVELOPMENTS.W.L. (AFTER CASING):**LOG ID:****026279**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

892FT

DRILL DEPTH:

300FT

36N

33W

6

UTM XUTM YDEPTH TO BED:

15FT

358,399.94

4,199,593.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 STONER - DRY OIL POOL EXTENSIONS.W.L. (AFTER CASING):**LOG ID:****026278**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

875FT

DRILL DEPTH:

300FT

36N

33W

6

UTM XUTM YDEPTH TO BED:

20FT

358,899.95

4,200,059.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #29 THOMAS; "DRY OIL POOL EXTENSION"S.W.L. (AFTER CASING):**LOG ID:****026277**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

883FT

DRILL DEPTH:

287FT

36N

33W

6

UTM XUTM YDEPTH TO BED:

358,899.95

4,200,059.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #24 THOMAS - OIL POOL DEVELOPMENTS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
026276

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 875FT
36N 33W 6
DRILL DEPTH: 268FT UTM X UTM Y
DEPTH TO BED: 358,899.95 4,200,059.99
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #21 THOMAS - OIL POOL DEVELOPMENT
S.W.L. (AFTER CASING):

LOG ID:
026275

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 874FT
36N 33W 6
DRILL DEPTH: 281FT UTM X UTM Y
DEPTH TO BED: 15FT 358,899.95 4,200,059.99
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #20 THOMAS
S.W.L. (AFTER CASING):

LOG ID:
026274

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 873FT
36N 33W 6
DRILL DEPTH: 280FT UTM X UTM Y
DEPTH TO BED: 265FT 358,899.95 4,200,059.99
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #26 THOMAS; OIL POOL DEVELOPMENT; 1-FT SAMPLES
S.W.L. (AFTER CASING):

LOG ID:
026272

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 872FT
36N 33W 6
DRILL DEPTH: 278FT UTM X UTM Y
DEPTH TO BED: 35FT 358,899.95 4,200,059.99
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #19 THOMAS - OIL POOL DEVELOPMENT
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026269**WELL TYPE

Oil Well

DRILL DATE: 1969/01/22TOWNSHIPRANGESECTIONELEVATION:

870FT

DRILL DEPTH: 265FT

36N

33W

6

DEPTH TO BED: 220FTUTM XUTM Y

358,899.95

4,200,059.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #18 THOMAS; OIL POOL DEVELOPMENTS.W.L. (AFTER CASING):**LOG ID:****026268**WELL TYPE

Oil Well

DRILL DATE: 1969/06/26TOWNSHIPRANGESECTIONELEVATION:

868FT

DRILL DEPTH: 273FT

36N

33W

6

DEPTH TO BED: 260FTUTM XUTM Y

358,199.95

4,199,967.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: POOL DEVELOPMENT; #22 THOMASS.W.L. (AFTER CASING):**LOG ID:****026273**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

866FT

DRILL DEPTH: 275FT

36N

33W

6

DEPTH TO BED:UTM XUTM Y

358,199.95

4,199,967.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #23 THOMAS; OIL POOL DEVELOPMENTS.W.L. (AFTER CASING):**LOG ID:****026534**WELL TYPE

Oil Well

DRILL DATE: 1968/07/TOWNSHIPRANGESECTIONELEVATION:

851FT

DRILL DEPTH: 245FT

36N

33W

8

DEPTH TO BED: 20FTUTM XUTM Y

360,689.96

4,198,513.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2 ROY HOGAN; OIL TEST; SAME AS #25657S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025657**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

860FT

DRILL DEPTH:

250FT

36N

33W

8

UTM XUTM YDEPTH TO BED:

15FT

360,489.95

4,198,513.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SAME AS #26534S.W.L. (AFTER CASING):**LOG ID:****022801**WELL TYPE

Oil Well

DRILL DATE:

1964//

TOWNSHIPRANGESECTIONELEVATION:

844FT

DRILL DEPTH:

1,820FT

36N

33W

8

UTM XUTM YDEPTH TO BED:

218FT

360,689.95

4,198,107.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 9A-8-6-3 B1; OPERATION BASEMENT V-7S.W.L. (AFTER CASING):**LOG ID:****007323**WELL TYPE

Oil Well

DRILL DATE:

1941/09/16

TOWNSHIPRANGESECTIONELEVATION:

738FT

DRILL DEPTH:

440FT

37N

29W

1

UTM XUTM YDEPTH TO BED:

5FT

406,869.01

4,207,537.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2 "TRIANGLE-S" RANCH - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****007097**WELL TYPE

Oil Well

DRILL DATE:

1941/09/03

TOWNSHIPRANGESECTIONELEVATION:

735FT

DRILL DEPTH:

430FT

37N

29W

1

UTM XUTM YDEPTH TO BED:

20FT

406,869.01

4,207,129.41

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 "TRIANGLE-S" RANCH (BRAND)S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009574**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1946/10/	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	790FT
<u>DRILL DEPTH:</u>	202FT	37N	29W	12	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	50FT				405,690.01	4,205,112.44
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	65	<u>REMARKS:</u>	1 MI S, 4 MI W OF TABERVILLE			

LOG ID:**007406**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1941/11/17	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	740FT
<u>DRILL DEPTH:</u>	300FT	37N	29W	3	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				403,263.00	4,207,674.44
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 BARBOUR			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**023711**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	802FT
<u>DRILL DEPTH:</u>	99FT	37N	29W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				401,149.99	4,207,546.47
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	SHELL CITY			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**020577**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1961/07/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	808FT
<u>DRILL DEPTH:</u>	320FT	37N	29W	7	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				398,459.99	4,206,095.51
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	3 MI N OF HARWOOD			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028075

WELL TYPE
Private Well

DRILL DATE: 1977/04/20

TOWNSHIP RANGE SECTION

ELEVATION: 840FT

DRILL DEPTH: 1,110FT

37N 29W 8

DEPTH TO BED:

UTM X UTM Y
400,151.99 4,205,618.50
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: DO NOT KNOW PURPOSE OF THIS WELL

S.W.L. (AFTER CASING): 127

LOG ID:
014793

WELL TYPE
Private Well

DRILL DATE: 1956//

TOWNSHIP RANGE SECTION

ELEVATION: 814FT

DRILL DEPTH: 145FT

37N 30W 15

DEPTH TO BED: 15FT

UTM X UTM Y
393,648.97 4,205,591.57
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
023680

WELL TYPE
Oil Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 770FT

DRILL DEPTH: 2,001FT

37N 30W 2

DEPTH TO BED: 160FT

UTM X UTM Y
394,833.97 4,208,276.52
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: #1 CECIL PROUGH - OB V-6

S.W.L. (AFTER CASING): 51

LOG ID:
013313

WELL TYPE
Private Well

DRILL DATE: 1954/12/14

TOWNSHIP RANGE SECTION

ELEVATION: 808FT

DRILL DEPTH: 228FT

37N 30W 23

DEPTH TO BED:

UTM X UTM Y
395,166.99 4,202,469.58
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 2 MI W OF HARWOOD ON HWY C

S.W.L. (AFTER CASING): 18



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020102**WELL TYPE

Private Well

DRILL DATE: 1961/03/01TOWNSHIPRANGESECTIONELEVATION:

850FT

DRILL DEPTH: 273FT

37N

30W

23

UTM XUTM YDEPTH TO BED:

394,166.99

4,202,469.59

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:7 MI SW OF RICH HILL; 220-273 = "WARSAW & PENN SINK
MATERIAL"S.W.L. (AFTER CASING): 37**LOG ID:****007041**WELL TYPE

Private Well

DRILL DATE: 1941//TOWNSHIPRANGESECTIONELEVATION:

817FT

DRILL DEPTH: 480FT

37N

30W

29

UTM XUTM YDEPTH TO BED:

389,281.99

4,201,925.64

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DUG WELL TO 18'

S.W.L. (AFTER CASING):**LOG ID:****015014**WELL TYPE

Private Well

DRILL DATE: 1956/10/TOWNSHIPRANGESECTIONELEVATION:

749FT

DRILL DEPTH: 150FT

37N

30W

3

UTM XUTM YDEPTH TO BED: 25FT

393,045.97

4,207,991.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):**LOG ID:****015664**WELL TYPE

Private Well

DRILL DATE: 1957//TOWNSHIPRANGESECTIONELEVATION:

880FT

DRILL DEPTH: 400FT

37N

30W

3

UTM XUTM YDEPTH TO BED: 300FT

393,645.97

4,207,409.55

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO SAMPLES 0-300'

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028094**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1977/08/19TOWNSHIP RANGE SECTIONELEVATION: 880FTDRILL DEPTH: 250FT

37N 30W 33

UTM X UTM Y
390,613.00 4,199,408.65
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: ERDA-TSS.W.L. (AFTER CASING):**LOG ID:****013312**WELL TYPE

Private Well

DRILL DATE: 1954/11/16TOWNSHIP RANGE SECTIONELEVATION: 866FTDRILL DEPTH: 245FT

37N 30W 36

UTM X UTM Y
395,225.00 4,199,958.59
ZONE 15DEPTH TO BED:S.W.L. (BEFORE CASING): FTREMARKS: 2 MI W & 1.5 MI S ON HWY C FROM HARWOODS.W.L. (AFTER CASING): 50**LOG ID:****006972**WELL TYPE

Private Well

DRILL DATE: 1941/06/25TOWNSHIP RANGE SECTIONELEVATION: 824FTDRILL DEPTH: 368FT

37N 30W 36

UTM X UTM Y
395,325.00 4,200,470.59
ZONE 15DEPTH TO BED: 225FTS.W.L. (BEFORE CASING):REMARKS: NO SAMPLES 0-225'S.W.L. (AFTER CASING):**LOG ID:****007254**WELL TYPE

Private Well

DRILL DATE: 1941//TOWNSHIP RANGE SECTIONELEVATION: 752FTDRILL DEPTH: 205FT

37N 30W 8

UTM X UTM Y
390,131.96 4,206,561.60
ZONE 15DEPTH TO BED: 30FTS.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 80



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**013067**WELL TYPE

Industrial High Capacity Well

<u>DRILL DATE:</u>	1954//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	757FT
<u>DRILL DEPTH:</u>	850FT	37N	31W	17	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				379,559.03	4,205,385.75
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u> #1; ON LITTLE OSAGE RIVER 1 MI NW OF HARDIN				
<u>S.W.L. (AFTER CASING):</u>	130					

LOG ID:**002000**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1894/01/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	778FT
<u>DRILL DEPTH:</u>	138FT	37N	31W	20	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	19FT				379,863.02	4,203,587.76
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**028095**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1977/08/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	771FT
<u>DRILL DEPTH:</u>	149FT	37N	31W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					380,370.02	4,201,559.76
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> ERDA-TS				
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**027590**WELL TYPE

Exploratory Hole (Mineral Prospect)

<u>DRILL DATE:</u>	1971//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	755FT
<u>DRILL DEPTH:</u>	235FT	37N	31W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	29FT				381,840.01	4,208,622.68
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u> #P-1 ARTHUR L. SMITH - COMPANY NOT SHOWN				
<u>S.W.L. (AFTER CASING):</u>						

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
028016

WELL TYPE
Irrigation Well

DRILL DATE: 1975/09/
DRILL DEPTH: 695FT
DEPTH TO BED: 45FT

TOWNSHIP RANGE SECTION
37N 32W 16

ELEVATION: 765FT
UTM X UTM Y
371,858.07 4,206,070.85
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: IRRIGATION WELL

S.W.L. (AFTER CASING):

LOG ID:
011845

WELL TYPE
Oil Well

DRILL DATE: 1952/02/
DRILL DEPTH: 1,205FT
DEPTH TO BED: 35FT

TOWNSHIP RANGE SECTION
37N 32W 29

ELEVATION: 772FT
UTM X UTM Y
370,977.05 4,202,007.88
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 RINEHART; DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
009262

WELL TYPE
Oil Well

DRILL DATE: 1946/09/27
DRILL DEPTH: 468FT
DEPTH TO BED:

TOWNSHIP RANGE SECTION
37N 32W 30

ELEVATION: 777FT
UTM X UTM Y
368,879.06 4,202,193.91
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 JOE OLIVE - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
028636

WELL TYPE
Oil Well

DRILL DATE: 1986/01/21
DRILL DEPTH: 1,040FT
DEPTH TO BED: 590FT

TOWNSHIP RANGE SECTION
37N 32W 31

ELEVATION: 781FT
UTM X UTM Y
367,900.05 4,200,888.93
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #2 OTTLEY; NO SAMPLES 0-580'

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
002685

WELL TYPE
Oil Well

DRILL DATE: 1915// TOWNSHIP 37N RANGE 32W SECTION 31 ELEVATION: 803FT
DRILL DEPTH: 2,014FT UTM X 369,200.05 UTM Y 4,201,385.91
DEPTH TO BED: 170FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: see also log #1861
S.W.L. (AFTER CASING):

LOG ID:
008617

WELL TYPE
Dry Oil &/or Gas Well

DRILL DATE: 1944/07/27 TOWNSHIP 37N RANGE 32W SECTION 31 ELEVATION: 800FT
DRILL DEPTH: 2,325FT UTM X 368,300.05 UTM Y 4,200,688.92
DEPTH TO BED: 20FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 W. STUBBLEFIELD - DRY & ABANDONED; OB #V-3
S.W.L. (AFTER CASING):

LOG ID:
009648

WELL TYPE
Oil Well

DRILL DATE: 1946/10/29 TOWNSHIP 37N RANGE 32W SECTION 31 ELEVATION: 774FT
DRILL DEPTH: 503FT UTM X 367,900.05 UTM Y 4,201,684.92
DEPTH TO BED: 5FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 HOUSTON - OIL TEST - DRY & ABANDONED
S.W.L. (AFTER CASING):

LOG ID:
001861

WELL TYPE
Oil Well

DRILL DATE: 1921// TOWNSHIP 37N RANGE 32W SECTION 31 ELEVATION: 794FT
DRILL DEPTH: 2,014FT UTM X 369,200.05 UTM Y 4,201,385.91
DEPTH TO BED: 170FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 RINEHART - see also log #2685
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009649**WELL TYPE

Oil Well

DRILL DATE: 1947/08/10TOWNSHIP RANGE SECTION

37N

32W

32

ELEVATION: 796FTDRILL DEPTH: 468FTUTM X UTM Y

369,486.05 4,201,010.91

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: #2 KENNEDY - OIL TEST - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****010355**WELL TYPE

Oil Well

DRILL DATE: 1948/09/20TOWNSHIP RANGE SECTION

37N

32W

33

ELEVATION: 795FTDRILL DEPTH: 510FTUTM X UTM Y

372,496.04 4,200,535.87

ZONE 15

DEPTH TO BED: 20FTS.W.L. (BEFORE CASING): FTREMARKS: #1 ULCH; 3.75 MI S OF METZS.W.L. (AFTER CASING): 75**LOG ID:****010266**WELL TYPE

Oil Well

DRILL DATE: 1948/07/TOWNSHIP RANGE SECTION

37N

32W

33

ELEVATION: 773FTDRILL DEPTH: 445FTUTM X UTM Y

371,096.05 4,201,747.88

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: #1 FLOYD FAULKNER - OIL TESTS.W.L. (AFTER CASING):**LOG ID:****010296**WELL TYPE

Oil Well

DRILL DATE: 1948/08/20TOWNSHIP RANGE SECTION

37N

32W

35

ELEVATION: 800FTDRILL DEPTH: 540FTUTM X UTM Y

374,309.03 4,200,189.85

ZONE 15

DEPTH TO BED: 25FTS.W.L. (BEFORE CASING):REMARKS: #1 McLAUGHLIN - DRY & ABANDONEDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**025655**WELL TYPE

Injection Well (OIL FIELD)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	794FT
		37N	33W	19		
<u>DRILL DEPTH:</u>	135FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				358,992.99	4,204,099.96
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#W-5 KEITH - WATER INJECTION WELL - 20 FT SAMPLES			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**025654**WELL TYPE

Injection Well (OIL FIELD)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	795FT
		37N	33W	19		
<u>DRILL DEPTH:</u>	142FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				358,992.99	4,204,099.96
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#W-4 KEITH - WATER INJECTION WELL			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**025656**WELL TYPE

Injection Well (OIL FIELD)

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	793FT
		37N	33W	19		
<u>DRILL DEPTH:</u>	136FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	35FT				358,992.99	4,204,099.96
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#W-5 KEITH - WATER INJECTION WELL - MANY MISSING SAMPLES			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:**002015**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1904/10/00	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	785FT
		37N	33W	21		
<u>DRILL DEPTH:</u>	402FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	27FT				362,639.03	4,204,610.94
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	AT STATESBURY			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003051**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

774FT

DRILL DEPTH:

310FT

37N

33W

21

UTM XUTM YDEPTH TO BED:

130FT

362,339.03

4,204,712.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

MANY SAMPLES MISSING; "COULDN'T LOCATE"; STATESBURY

S.W.L. (AFTER CASING):**LOG ID:****028546**WELL TYPE

Oil Well

DRILL DATE:

1983/02/25

TOWNSHIPRANGESECTIONELEVATION:

817FT

DRILL DEPTH:

180FT

37N

33W

27

UTM XUTM YDEPTH TO BED:

363,884.03

4,203,026.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

#JB162A NETHERTON - OIL - 10' SAMPLES

S.W.L. (AFTER CASING):**LOG ID:****028547**WELL TYPE

Oil Well

DRILL DATE:

1983/02/25

TOWNSHIPRANGESECTIONELEVATION:

810FT

DRILL DEPTH:

180FT

37N

33W

27

UTM XUTM YDEPTH TO BED:

5FT

363,584.02

4,202,513.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

#131A NETHERTON

S.W.L. (AFTER CASING):**LOG ID:****013437**WELL TYPE

Oil Well

DRILL DATE:

1955//

TOWNSHIPRANGESECTIONELEVATION:

825FT

DRILL DEPTH:

959FT

37N

33W

27

UTM XUTM YDEPTH TO BED:

295FT

364,284.03

4,202,616.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

#1 - OIL TEST - NO SAMPLES 0-295'

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
000307

WELL TYPE
Community Public Well

DRILL DATE: 1901/08/00 TOWNSHIP 37N RANGE 33W SECTION 28 ELEVATION: 785FT
DRILL DEPTH: 345FT UTM X 362,968.03 UTM Y 4,203,810.94
DEPTH TO BED: 29FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
027845

WELL TYPE
Oil Well

DRILL DATE: 1975/05/19 TOWNSHIP 37N RANGE 33W SECTION 29 ELEVATION: 837FT
DRILL DEPTH: 310FT UTM X 360,263.00 UTM Y 4,203,265.96
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1-29 S.L. SHEENY
S.W.L. (AFTER CASING):

LOG ID:
028880

WELL TYPE

DRILL DATE: 1975/09/01 TOWNSHIP 37N RANGE 33W SECTION 30 ELEVATION: 837FT
DRILL DEPTH: 770FT UTM X 359,032.99 UTM Y 4,203,238.97
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: CAUTION !!! - Log #19979 was also assigned to Roach Well #1 in
S.W.L. (AFTER CASING): Vernon Co Sec. 30, T37N, R33W. The Roach well log was

LOG ID:
028881

WELL TYPE

DRILL DATE: 1975/09/03 TOWNSHIP 37N RANGE 33W SECTION 30 ELEVATION: 820FT
DRILL DEPTH: UTM X 359,032.99 UTM Y 4,203,238.97
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: CAUTION !!! - Log #19980 was also assigned to Brown Well #1 in
S.W.L. (AFTER CASING): Vernon County Sec. 30, T37N, R33W. The Brown well log was



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
027864

WELL TYPE
Oil Well

DRILL DATE: 1975/05/20

TOWNSHIP RANGE SECTION
37N 33W 32

ELEVATION: 803FT

DRILL DEPTH: 236FT

UTM X UTM Y
361,071.99 4,202,064.96
ZONE 15

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

REMARKS: #1-32 L.B. SHEENY - STRAT TEST

S.W.L. (AFTER CASING):

LOG ID:
027843

WELL TYPE
Oil Well

DRILL DATE: 1975/05/20

TOWNSHIP RANGE SECTION
37N 33W 35

ELEVATION: 798FT

DRILL DEPTH: 320FT

UTM X UTM Y
366,101.04 4,201,839.93
ZONE 15

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

REMARKS: #1-35 WILMONT & STEELE INC. - STRAT TEST - "POOR SAMPLES"

S.W.L. (AFTER CASING):

LOG ID:
026879

WELL TYPE
Oil Well

DRILL DATE: 1971/06/04

TOWNSHIP RANGE SECTION
37N 33W 35

ELEVATION: 829FT

DRILL DEPTH: 230FT

UTM X UTM Y
365,401.03 4,201,335.94
ZONE 15

DEPTH TO BED: 199FT

S.W.L. (BEFORE CASING):

REMARKS: #13 GILSTRAP - CO2 TEST - 2-FT SAMPLES

S.W.L. (AFTER CASING):

LOG ID:
026880

WELL TYPE
Oil Well

DRILL DATE: 1971/06/21

TOWNSHIP RANGE SECTION
37N 33W 35

ELEVATION: 827FT

DRILL DEPTH: 227FT

UTM X UTM Y
365,401.03 4,201,335.94
ZONE 15

DEPTH TO BED: 209FT

S.W.L. (BEFORE CASING):

REMARKS: #16 GILSTRAP - CO2 TEST - NO SAMPLES 0-207' - GAMMA RAY
LOG AVAILABLE

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**026878**WELL TYPE

Oil Well

DRILL DATE: 1971/06/06TOWNSHIPRANGESECTIONELEVATION:

821FT

DRILL DEPTH: 226FT

37N

33W

35

UTM XUTM YDEPTH TO BED: 194FT

365,401.03

4,201,335.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #14 GILSTRAP - 2-FT SAMPLES - NO SAMPLES 0-194' - CO2 TESTS.W.L. (AFTER CASING):**LOG ID:****026877**WELL TYPE

Oil Well

DRILL DATE: 1971/02/06TOWNSHIPRANGESECTIONELEVATION:

804FT

DRILL DEPTH: 229FT

37N

33W

35

UTM XUTM YDEPTH TO BED: 199FT

365,401.03

4,201,335.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****020960**WELL TYPE

Gas Well

DRILL DATE: 1962/03/05TOWNSHIPRANGESECTIONELEVATION:

834FT

DRILL DEPTH: 235FT

37N

33W

35

UTM XUTM YDEPTH TO BED:

364,701.03

4,202,041.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 GILSTRAP - GAS WELLS.W.L. (AFTER CASING):**LOG ID:****027844**WELL TYPE

Oil Well

DRILL DATE: 1975/05/22TOWNSHIPRANGESECTIONELEVATION:

804FT

DRILL DEPTH: 260FT

37N

33W

36

UTM XUTM YDEPTH TO BED: 10FT

367,303.04

4,200,851.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-36 WILMONT & STEELE INC. - STRAT TESTS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006176**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1939//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	798FT
<u>DRILL DEPTH:</u>	907FT	37N	33W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	275FT				367,703.04	4,200,546.93
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 FRED WILMOT - DRY & ABANDONED - OLD LOG #6176 - NO			
<u>S.W.L. (AFTER CASING):</u>			SAMPLES 0-275' - see log #8364			

LOG ID:**008364**WELL TYPE

Oil Well

<u>DRILL DATE:</u>	1939//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	798FT
<u>DRILL DEPTH:</u>	907FT	37N	33W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	275FT				367,703.04	4,200,546.93
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 FRED WILMOT - DRY & ABANDONED - OLD LOG #6176 - NO			
<u>S.W.L. (AFTER CASING):</u>			SAMPLES 0-275'			

LOG ID:**027840**WELL TYPE

Private Well

<u>DRILL DATE:</u>	1971/04/09	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	860FT
<u>DRILL DEPTH:</u>	100FT	37N	33W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				362,587.06	4,209,514.86
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	4 MI S, 0.25 MI E OF HUME			
<u>S.W.L. (AFTER CASING):</u>	35					

LOG ID:**018931**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>	1959/11/18	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	723FT
<u>DRILL DEPTH:</u>	60FT	38N	29W	25	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				406,023.01	4,210,343.39
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	Burkhart Club House, 2.5 miles SE of Rockville			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**016809**WELL TYPE

Community Public Well

<u>DRILL DATE:</u>	1957/11/30	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	744FT
<u>DRILL DEPTH:</u>	714FT	38N	29W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				402,146.00	4,208,442.45
<u>S.W.L. (BEFORE CASING):</u>	15	FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	35	FT				

REMARKS:**LOG ID:****011909**WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	780FT
<u>DRILL DEPTH:</u>	300FT	38N	29W	33	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				401,917.00	4,208,633.45
<u>S.W.L. (BEFORE CASING):</u>		FT			ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	47					

REMARKS:**LOG ID:****001941**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	797FT
<u>DRILL DEPTH:</u>	172FT	38N	31W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	4FT				381,084.02	4,211,206.64
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: MAY BE GAS OR COAL EXPLORATION WELL - PURPOSE UNKNOWN**LOG ID:****001942**WELL TYPE

Private Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	817FT
<u>DRILL DEPTH:</u>	162FT	38N	31W	29	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	9FT				380,984.02	4,212,528.61
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>						

REMARKS: PURPOSE OF WELL UNKNOWN



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007699**WELL TYPE

Private Well

DRILL DATE: 1942/03/30TOWNSHIP RANGE SECTIONELEVATION: 770FTDRILL DEPTH: 540FT

38N 31W 32

DEPTH TO BED:UTM X UTM Y
379,798.03 4,210,207.67
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 5 MI S OF RICH HILL ON HWY 71S.W.L. (AFTER CASING): 60**LOG ID:****000348**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 806FTDRILL DEPTH: 153FT

38N 32W 27

DEPTH TO BED: 30FTUTM X UTM Y
374,312.06 4,212,815.69
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO TOPS OR FORMATIONSS.W.L. (AFTER CASING):**LOG ID:****027571**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1971//TOWNSHIP RANGE SECTIONELEVATION: 879FTDRILL DEPTH: 435FT

38N 32W 28

DEPTH TO BED:UTM X UTM Y
373,108.07 4,212,986.70
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #P-1 WALLACE A. PAYNE - MINERAL TESTS.W.L. (AFTER CASING):**LOG ID:****002935**WELL TYPE

Private Well

DRILL DATE: 1934/08/30TOWNSHIP RANGE SECTIONELEVATION: 965FTDRILL DEPTH: 813FT

38N 32W 29

DEPTH TO BED: 755FTUTM X UTM Y
371,500.08 4,212,855.72
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 FALAR - NO SAMPLES 0-755'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**000347**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

830FT

DRILL DEPTH:

137FT

38N

32W

36

DEPTH TO BED:

6FT

UTM XUTM Y

376,541.05

4,211,068.69

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NO TOPS OR FORMATIONS

S.W.L. (AFTER CASING):**LOG ID:****003900**WELL TYPE

Private Well

DRILL DATE:

1936/10/07

TOWNSHIPRANGESECTIONELEVATION:

929FT

DRILL DEPTH:

120FT

38N

33W

28

DEPTH TO BED:

12FT

UTM XUTM Y

362,960.07

4,212,104.80

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****004493**WELL TYPE

Oil Well

DRILL DATE:

1937/09/

TOWNSHIPRANGESECTIONELEVATION:

914FT

DRILL DEPTH:

821FT

38N

33W

33

DEPTH TO BED:

40FT

UTM XUTM Y

362,977.07

4,211,813.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

#1 SHEEHY - DRY & ABANDONED

S.W.L. (AFTER CASING):**LOG ID:****004569**WELL TYPE

Private Well

DRILL DATE:

1937/10/30

TOWNSHIPRANGESECTIONELEVATION:

906FT

DRILL DEPTH:

437FT

38N

33W

34

DEPTH TO BED:UTM XUTM Y

364,281.08

4,211,036.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

MAY BE A GAS WELL

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016431

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1957//	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	856FT
<u>DRILL DEPTH:</u>	654FT	38N	33W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	3FT				367,582.10	4,210,323.82
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>		<u>REMARKS:</u>	NO PRODUCTION OR CONSTRUCTION DATA			

VERNON